

Claim Amendments:

The following claim listing replaces all prior versions and listings of claims in the Application:

Claim listing:

Claims 1-19 (cancelled)

- 1 Claim 20. (New) Vent for a septic system, including a conduit extending and
2 configured to convey gas therefrom, comprising a leg configured to mount on,
3 conceal a portion of and convey gas from the conduit;
4 wherein said leg is configured for mounting a fixture thereon.
- 1 Claim 21. (New) Vent of claim 20, wherein said leg closely or sealingly receives the
2 conduit.
- 1 Claim 22. (New) Vent of claim 20, wherein said leg defines a passage configured to
2 receive the conduit.
- 1 Claim 23. (New) Vent of claim 22, further comprising a coupling for conveying gas
2 from the conduit to said passage.
- 1 Claim 24. (New) Vent of claim 23, wherein the conduit has an outlet that defines a
2 first size and said passage has an inlet that defines a second size that is different
3 from the first size.
- 1 Claim 25. (New) Vent of claim 23, wherein the conduit is misaligned relative to said
2 passage.

- 1 Claim 26. (New) Vent of claim 20, further comprising a filter for filtering gas
2 conveyed through said passage.
- 1 Claim 27. (New) Vent of claim 20, further comprising a fixture mounted on the leg.
- 1 Claim 28. (New) Vent of claim 27, wherein said fixture is selected from a bird bath
2 basin, a gazing ball, a statue, a sun dial, a garden ornament and combinations
3 thereof.
- 1 Claim 29. (New) Vent of claim 27, further comprising a fixture mount interposed
2 between said leg and said fixture.
- 1 Claim 30. (New) Vent of claim 29, wherein said fixture mount defines a passage for
2 conveying gas from said leg to the atmosphere.
- 1 Claim 31. (New) Vent of claim 30, further comprising a filter for filtering gas
2 conveyed through said passage.
- 1 Claim 32. (New) Method of concealing a conduit extending and configured to convey
2 gas from a septic system comprising:
3 sizing the conduit; then
4 mounting on the conduit a leg configured to convey gas from the conduit;
5 wherein the leg is configured for mounting a fixture thereon.
- 1 Claim 33. (New) Method of claim 32, wherein the leg defines a passage for
2 conveying gas from the conduit, said method further comprising, between said sizing
3 and said mounting, interposing a coupling between the conduit and the passage.

1 Claim 34. (New) Method of claim 32, wherein the leg defines a passage for
2 conveying gas from the conduit, said method further comprising disposing a filter in
3 the passage.

1 Claim 35. (New) Method of claim 32, further comprising mounting a fixture on the
2 leg.

1 Claim 36. (New) Method of claim 35, wherein the fixture is selected from a bird bath
2 basin, a gazing ball, a statue, a sun dial, a garden ornament and combinations
3 thereof.

1 Claim 37. (New) Method of claim 36, further comprising interposing a fixture mount
2 between the leg and the fixture.

1 Claim 38. (New) Method of claim 37, wherein the fixture mount defines a passage
2 for conveying gas from the leg to the atmosphere, said method further comprising
3 disposing a filter in the passage.